

ELECTRONIC CASH REGISTER D120



USER MANUAL

TABLE OF CONTENTS

1. ECR CONFIGURATION	7
1.1. Display	7
1.2. Keyboard	7
1.3. Printer	8
1.4. Power supply	8
1.5. Switching the ECR on and off	8
2. PREPARATION FOR WORK AND SAFETY REQUIREMENTS	9
2.1. ECR installation and prevention	9
2.2. Placing the paper roll	9
3. TERMINOLOGY	
3.1. Operation modes	10
3.2. Digital certificates	10
3.3. Programming	10
3.4. Parameters	
3.5. Passwords and operators	
3.6. PLU and PLU groups	
3.7. Printed documents	
4. MODE SELECTION AND PASSWORD ENTERING	
5. PROGRAMMING	
5.1. General principles	
5.2. Operations on parameters in Programming mode	
5.2.1. Entering a parameter number	13
5.2.2. Entering an item number	
5.2.3. Entering a field number	
5.2.4. Printing of programmed parameters	14
5.2.5. Changing a field value	
5.2.6. Data saving	
5.2.7. Editing a character field	
5.2.8. Using a barcode scanner for saving a barcode	
5.2.9. Exit	
5.3. Programming mode (4)	
5.3.1. Parameters	
5.3.2. Changing the tax rates	
5.3.3. Changing the exchange rate	
5.3.4. Changing the date and the time	
6. REGISTRATION MODE	
6.1. Date and time display	
6.2. Registration	29
6.2.1. Registration of a PLU and a PLU group	
6.2.2. Registration in departments	
6.2.3. Registration of quantity	50

6.2.4. Repeated registration of a PLU/PLU group	.30
6.2.5. Repeated registration of a department sale	.30
6.3. Displaying and printing the subtotal	
6.4. Discounts and mark-ups	
6.4.1. Percentage discounts and mark-ups	.31
6.4.2. Value discounts and mark-ups	.31
6.5. Correction of a wrong registration	.32
6.6. Void all	.33
6.7. Payment and receipt closure	.33
6.8. Data interchange with the Tax administration CIS	.35
6.9. Refund	.36
6.10. Printing a receipt copy	.37
6.11. Received on account and paid-out amounts	.38
7. REPORTS	
7.1. Reports of PLU and PLU groups	.39
7.1.1. Report of one PLU/ PLU group	.39
7.1.2. Report of all PLU and PLU groups	.40
7.2. Reports of PLUs in stock	.41
7.2.1. Report of one PLU in stock	.41
7.2.2. Report of all PLUs in stock	.41
7.3. Department reports	
7.3.1. Report of one department	
7.3.2. Report of all departments	.42
7.4. Commodity groups reports	.43
7.4.1. Report of one commodity group	.43
7.4.2. Report of all commodity groups	.43
7.5. Tax groups report	
7.6. Sales report	
7.7. Operators report	.45
7.7.1. Report of one operator	.45
7.7.2. Report of all operators	.46
7.8. Daily report	.47
7.9. Periodic report	.50
7.10. Electronic journal review	
8. ELECTRONIC JOURNAL PRINTOUTS	
8.1. EJ printout by a daily Z report number	.52
8.2. EJ printouts by a receipt number	.52
8.3. EJ printouts by dates	.52
9. MESSAGES, DISPLAYED IN CASES OF ERRORS AND OVERFLOWS	.54


ELECTRONIC CASH REGISTER D120

- Universal suitable to be used in all kinds of shops
- Two 13-digit 7-segment LCD displays
- Thermal printer (APS):
 - easy paper loading
 - printing rate max. 60 mm/sec;
 - thermal paper, one-layer, width 57 mm, external diameter max. 54 mm;
 - characters per line 32.
- Keyboard:
 - 12 digit keys;
 - 17 functional keys.
- Interfaces USB, two RS232
- Memory card (2 GB) Secure Digital Specification Standard (V2.0)
- Communication module Wi-Fi or GPRS
- External adapter (9V, 4A), input 220V(-15%,+10%), 50Hz
- Battery supply (option) built-in rechargeable battery: (7.4V, 1800 mAh)
- Lithium battery supporting the real time clock.
- Dimensions (mm) 260 x 183 x 82
- Weight (kg) ~ 0.900
- Operating temperature interval: -15° to 45° C

Functional characteristics:


- PLU database
- PLU barcodes and available quantities support
- Weight barcodes support programmable identifier, zone type and length.
- 8 departments
- 10 operators in Registration mode and 4 passwords for the other four modes (X reports, Z reports, Programming, Service mode)
- 4 VAT groups and a Consumption tax
- 8 commodity groups with programmable names
- 10 units of measure with programmable names
- 5 types of payment CASH and 4 payments with programmable names
- Programmable receipt header 8 lines
- Programmable receipt footer 2 lines
- Graphic logo printing 384 x 144 pixels
- Discounts and mark-ups percentage and value
- Registration of received on account and paid out amounts
- Registration of refunds
- Reports:
 - PLU/PLU groups report;
 - available quantities;
 - commodity groups report;
 - departments report;
 - tax groups report;
 - operators report;
 - sales report;
 - daily report;
 - periodic report.
- Printing of data, stored in the electronic journal
- Communication protocol between the ECR and a PC supported
- Built-in tests

1. ECR CONFIGURATION




1.1. Display

The ECR configuration includes two 13-digit 7-segments LCD displays.



1.2. Keyboard

The keyboard includes 29 keys - 12 digit and 17 functional. The designation and position of the keys is the following:



Note: Key combinations, using the key SHIFT, are performed in the following way: the key SHIFT is pressed first (a vertical segment is lit up above the battery icon), then another key is pressed.

1.3. Printer

The thermal printing mechanism prints 32 characters per line. The thermal paper roll is 57 mm wide and up to 54 mm in diameter.

1.4. Power supply

The ECR is connected to the electric network (220V, 50 Hz) through its external adapter.

Option: A built-in rechargeable battery (7.4V, 1800 mAh).

If a rechargeable battery is included, the ECR is power supplied by the battery. It guarantees approximately 60 hours in operation mode and printing of approximately 40000 lines when it is fully charged. There is a special icon at the lower left corner of the display, which shows the battery charge status. If the battery is discharged, the battery icon is empty. When the ECR is plugged in through its external adapter, the process of battery recharging is indicated by the battery icon segments, which repeatedly light in a sequence from bottom to top. When recharging is completed, all the segments remain lit.

ATTENTION!

To avoid battery damage, the rechargeable battery should not be left discharged, even if the ECR is not used. Battery recharging must be performed at least once a month for a period of 8 hours, through connecting the original external adapter to the ECR and plugging in a 220V AC socket.

Only original batteries and adapters, specified by the ECR producer, must be used with the ECR. A risk of explosion exists, if an incorrect type is used to replace the original battery!

1.5. Switching the ECR on and off

The ECR is switched on and off, using the corresponding key, next to the paper compartment.

2. PREPARATION FOR WORK AND SAFETY REQUIREMENTS

2.1. ECR installation and prevention

When the ECR is delivered and unpacked, it must be examined for eventual mechanical damages, for the integrity of the seal and the product completeness. The ECR must be protected from direct sun light, heat sources, strong electro-

magnetic fields, high humidity, liquids and dust. The paper roll compartment and the adjacent area should be regularly cleaned with a slightly damp cloth. The ECR should be protected from mechanical damages.

During printing and for some time after printing, the printing head is very hot and should not be touched.

If some damage or malfunction of the ECR is detected, the ECR operations must be stopped, the ECR must be switched off and unplugged and a service technician must be called. Only authorized service technicians are permitted to repair the ECR.

Safety regulations, recycling regulations, electrical safety rules etc. must be strictly observed with regard to the ECR.

2.2. Placing the paper roll

Before starting operations with the ECR, the operator has to check the available paper roll in the ECR and place a new one, if necessary. The cover of the paper compartment has to be opened and the new paper roll has to be placed. The paper tape free end has to be inserted in the paper moving mechanism. The key the paper feeding is pressed until 3 or 4 cm of paper tape is fed. Then the paper end is inserted through the cover opening and the cover of the paper compartment is closed, so that the paper free end remains outside the ECR box.

When a paper roll is used up, the printer operation is blocked. The ECR displays the corresponding error message: P End. Pressing any key is necessary after placing a new paper roll.

3. TERMINOLOGY

3.1. Operation modes

The ECR provides the following operation modes:

- Registration (1)
- X reports (2)
- Z reports (3)
- Programming (4)
- Service mode (5)

The access to each of the modes is enabled through entering the corresponding password.

3.2. Digital certificates

Each taxpayer, who will use an ECR to register sales, has to obtain digital certificates according to the Fiscal law and the requirements of the Tax administration in Croatia.

The digital certificates have to be uploaded in the ECR and the taxpayer personal identification number OIB has to be entered in the ECR memory too. These procedures, as well as configuring the ECR communication module for sending data to the Tax administration CIS, are performed in the ECR Service mode by an authorized service specialist.

3.3. Programming

This is a process of entering or changing the ECR parameters (names and prices of goods, tax rates, passwords, operators' names etc.).

3.4. Parameters

Most of the ECR parameters are organized in items and fields. The items are used for numbering of similar characteristics, for instance each article (PLU) is a different item in the PLU parameter. The fields are used for saving the different characteristics of one item, for instance the fields of an article are its name, price, tax group, available quantity etc.

3.5. Passwords and operators

The different ECR operation modes are accessed through entering a password, corresponding to each mode. 4 different passwords can be programmed (in parameter 11), corresponding to the modes: X reports, Z reports, Programming mode and Service mode. Operation of 10 operators is possible in Registration mode. Their names, passwords and ID number (OIB) are programmable (parameter 1). The operator passwords have to be different.

3.6. PLU and PLU groups

Each item of the PLU parameter is used for programming of one PLU or PLU group. The difference between a PLU and a PLU group is the following: free prices (entered at the moment of the sale) are enabled only for a PLU group. The number of PLUs and PLU groups depends on parameter 3, which determines the structure of the PLU database. Parameter 3 specifies the usage of bar codes and available quantities. When the user sets these options in the appropriate way, the actual PLU number is calculated.

3.7. Printed documents

Before the ECR activation, the ECR operates in Training mode. All receipts and reports include the message "TRAINING RECEIPT" (TRENING RAČUN).

Note: Even after the ECR activation (performed in the Service mode), there is a possibility for training mode usage. An option in parameter 10, field 1 is used to enable the training mode in this case.

After the ECR activation, all the receipt and reports include the taxpayer OIB. If a graphic logo is uploaded in the ECR memory, it is printed at the beginning of the receipts and reports.

A header message is printed in all receipts and reports. The header is programmable and includes up to 8 text lines for the owner's data: trade name, address etc.

The ECR provides the possibility for printing of a footer message (up to 2 lines) in the receipts and reports.

All receipts and reports include the date and time of printing, the current receipt number and the ECR identification number (Tv.Br.).

11

4. MODE SELECTION AND PASSWORD ENTERING

When the ECR is switched on, the display shows: \(\frac{1}{2} = \frac{1}{2} = \frac{1}{2} \). The leftmost position displays the mode and a password entering is expected. The following keys are accessible in that state:

	Used for going through the mode numbers. The modes are
	numerated, as follows:
^	– Registration
MODE	☐ – X reports
	$\exists -Z \text{ reports}$
	H – Programming
	5 – Service mode
Digit Irong	Used for password entering. An underscore appears with each
Digit keys	newly entered digit.
С	Ignores the last entered digit and removes one underscore.
	Ends the password entering. If the password is correct, the
TOTAL	selected mode is entered. If the password is wrong, the ECR
	beeps and a new password entering is expected

5. PROGRAMMING

5.1. General principles

ECR programming provides defining the values of a number of parameters, most of which are organized in items and fields. Field values can be changed, examined and printed. Changing a value is done through:

- selection of a parameter, item and field numbers;
- entering a new value;
- saving the new value.

There are DIGITAL and CHARACTER fields, depending on the data, saved in them. In both cases data is entered through the digit keys, but ASCII codes of the characters have to be entered when programming character fields.

Besides the numbered parameters, the ECR provides changing the tax rates, entering the date and time and changing the currency exchange rate.

Note: With a view to keeping the ECR accounting, a parameter programming is enabled only if the related Z reports are completed. In case of necessity, the corresponding message is printed, for instance: "DAILY REPORT !!!" (DNEVNI IZVJEŠTAJ!!!), "OPERATORS REPORT!!!", "PLU REPORT !!!". Err 33 is displayed when a report of one PLU is needed.

5.2. Operations on parameters in Programming mode

5.2.1. Entering a parameter number

The main menu in Programming mode (mode 4) is the menu "Parameters" – a parameter number is displayed at the leftmost position. When the Programming mode is entered, the number of the first parameter is displayed. Reaching a definite parameter number in "Parameters" menu is done through the keys + and -, which provide the possibility for cyclic going through the consecutive parameter numbers in ascending and descending direction respectively. Selecting a parameter is done through the key TOTAL when the parameter number is displayed at the leftmost position. When a parameter is selected, a submenu is entered. The numbers of the first field and first item are displayed next to the parameter number, for instance \(\sum \sum \sum \sum \sum \sum \sum \text{field 1, item 1} \).

5.2.2. Entering an item number

It concerns parameters, including more than one item. There are three methods of reaching a definite item number:

- in the main menu when the chosen parameter number is displayed through entering the item number and pressing the key TOTAL. This is the way to enter the submenu "parameter item and field" the number of the *first* field and the *entered item* number are displayed;
- in the submenu "parameter item and field" the keys PY1 and PY2, provide the possibility for cyclic going through the consecutive item numbers in ascending and descending direction respectively;
- in the submenu "parameter item and field" the item number is entered and the key TOTAL is pressed.

5.2.3. Entering a field number

It concerns items, including more than one field. There are two methods of reaching a definite field number in the submenu "parameter item and field":

- the keys + and provide the possibility for cyclic going through the consecutive field numbers in an item, in ascending and descending direction respectively;
- direct entering the field number through the digit keys and pressing the key STL.

5.2.4. Printing of programmed parameters

Pressing the key QTY prints the corresponding parameter 2, 3, 4, 5, 8, 9, 15 or 16 in the "parameters" menu and the submenu "parameter item and field". Pressing the key PRC prints an item, whose number is displayed in a submenu "parameter item and field". This possibility concerns parameters 1, 2 and 4.

5.2.5. Changing a field value

When the necessary field number is reached in the submenu "parameter item and field", the key $\boxed{\text{TOTAL}}$ is necessary to be pressed first for selecting and entering into the field. If the item has not been programmed, the message " $\Gamma E \Gamma = -$ " is displayed for a few seconds.

Data entering in a digital field

When a digital field is selected, the item number is displayed on the left, followed by the contents of the field. If the display positions are not enough, only the content is displayed.

The new content is entered using the digit keys. In case of an error, the key C has to be pressed so many times as necessary – each pressing clears one digit from the right to the left. If the key C is pressed and hold down, all the entered digits are cleared.

Data entering in a character field

When a character field is selected, the item number is displayed on the left, followed by the number of the first character and the ASCII code of the character. The ASCII codes of the characters are entered, using the digit keys. If an ASCII code includes a leading zero, it is obligatory to be entered. An automatic transition to the next character is done when 3 digits are entered (the displayed character number increases by 1).

Pressing the key QTY, when a character field is entered, prints the current text. Pressing the key combination SHIFT STL when a character field is entered prints a table of the ASCII codes. A character code can be calculated through adding the column number to the number printed at the end of the row, where the character is printed.

ATTENTION! Pressing the key 00 in a character field clears its contents and performs positioning for entering the first character in the field.

Character codes:

Space - 032	0 - 048	A – 065	Q - 081	a – 097	q – 113	Š – 138
! - 033	1 - 049	B - 066	R - 082	b - 098	r – 114	Ž – 142
"-034	2 - 050	C - 067	S - 083	c – 099	s - 115	š – 154
#-035	3 - 051	D-068	T – 084	d – 100	t – 116	ž – 158
\$-036	4 - 052	E - 069	U - 085	e – 101	u – 117	Ć – 198
% - 037	5 - 053	F - 070	V - 086	f - 102	v - 118	$\check{\mathrm{C}}-200$
& - 038	6 - 054	G - 071	W - 087	g - 103	w - 119	D - 208
'- 039	7 - 055	H - 072	X-088	h – 104	x - 120	ć – 230
(-040	8 - 056	I - 073	Y – 089	i – 105	y - 121	č – 232
) – 041	9 - 057	J - 074	Z - 090	j – 106	z - 122	d - 240
* - 042	: -058	K - 075	[-091	k - 107	{ - 123	
+-043	; – 059	L - 076	\ − 092	1 - 108	- 124	
, – 044	<-060	M - 077] – 093	m – 109	}- 125	
- - 045	= -061	N - 078	^ – 094	n – 110	~ - 126	
. – 046	> - 062	O - 079	095	o – 111		
/ - 047	? - 063	P - 080	` – 096	p – 112		
	@ - 064					

5.2.6. Data saving

Pressing the key STL or TOTAL confirms and saves the newly entered data. The difference in the usage of these two keys is the following: after saving with TOTAL the ECR returns to the submenu "parameter field and item" and the next field number is displayed (the first field follows the last one); after saving with STL the ECR keeps displaying the contents of the field – the key is pressed to exit the field.

The ECR beeps to show an error if an inadmissible value is attempted to be entered and saved.

5.2.7. Editing a character field

When a character field is selected, the keys + and - are used to reach the number of the character, that has to be changed. The correct code is entered. If there are other wrong characters in the same field (text), + and - are used again to reach a wrong code. When all necessary codes are entered correctly, the change is confirmed and saved through TOTAL or STL.

5.2.8. Using a barcode scanner for saving a barcode

Barcode support is enabled through an option in parameter 3.

When parameter 2, field 6 (corresponds to a barcode) and the necessary item number are displayed in the submenu "parameter field and item", the key TOTAL is pressed first to select the field for entering the barcode.

If the selected item has not been programmed, "rEL - - - " is displayed for a while. The barcode has to be scanned, using the barcode scanner, connected to the ECR. If the reading is correct "YE55" is displayed. The correctness of the programmed barcode can be checked by printing the item through PRC.

Barcode digits can be entered manually and in this case pressing the key TOTAL is used to save the barcode.

5.2.9. Exit

The key is used for moving one level up in the Programming mode menus, as well as for exiting the mode.

5.3. Programming mode (4)

5.3.1. Parameters

Parameter 1: Operators

This parameter includes 10 items – one item for each operator (cashier)

Field	Description	Contents	Notes
No			
1	Operator name	Up to 28 characters	Default names – OPERATER
2	Operator password	Up to 6 digits	Default password of operator 1 – 0.
3	Operator personal identification number (OIB)	11 digits	Default contents of the field:

Note: The operator OIB is obligatory to be entered in order that the operator can issue sales receipts. If the operator OIB is missing and a receipt is started, VOID ALL operation is automatically performed when payment is attempted.

Parameter 2: PLU and PLU groups

The number of items depends on parameter 3.

Note: The general options in Parameter 3 must be programmed before PLU/PLU groups programming (when parameter 3 is changed the whole PLU database is erased).

Crasco			
	Description	Contents	Notes
No			
	Tax link or department link	From 101 to 108 - a link to a department from 1 to 8 From 001 to 008- a direct link to a tax group: 001 - A, 002 - B, 003 - C, 004 - D, 005 - A and consumption tax, 006 - B and consumption tax, 007 - C and consumption tax, 008 - D and consumption tax 101 by default (link to DP 1).	If a department link is specified, the tax of the department is applied to the PLU
2	Name	Up to 28 characters	
3	Price	Up to 9999999999999	
4	Options - commodity group link; - PLU or PLU group - integer or fractional quantities - last sale in a receipt	XXXX – PLU options – 4 digits 1 – automatic receipt closure 0 - integer quantities, 1 - fractional quantities; 0 - PLU 1 - PLU group (enabled "free" prices) commodity group link – from 1 to 8 1010 by default	When the option "PLU group" is set, free price registration is enabled for the item.
5	A link to a unit of measure	From 1 to 10 1 by default (this unit of measure is blank and is not printed)	The unit name is in the corresponding item of parameter 9
6	Barcode	Up to 13 digits	It depends on an

			option in parameter 3. It can be entered manually or using a barcode scanner
7	Quantity in stock (available quantity)	Up to 999999.999 (fractional quantity) Up to 9999999999 (integer qty) • by default (the quantity is not supported and checked)	It depends on an option in field 4 It depends on an option in parameter 3.
8	Quantity addition	The programmed value is added to the value in field 7	It depends on an option in parameter 3.
9	Max. amount	Up to 99999999999999999999999999999999999	0.00 by default - no limit

Note: If some value is programmed in field 9 (Max. amount), it is considered a limit, which should not be exceeded by the product of multiplying the quantity and the price of any sale, attached to this PLU.

Example: Programming a PLU- number 75, name -COCA-COLA; price 10.00; This PLU is linked to department 2 and to commodity group 3; integer quantity.

Operations		Display
	Y	-
Enter the password (if programmed) and press TOTAL.		
Parameter 1 is displayed.	7	0
Press + to reach		
the next parameter number	2	0
75 TOTAL goes directly to item 75, field 1 of parameter 2	2.1.75	0
Press TOTAL to select the first field for programming.		
If the item is not programmed yet, a message for an empty		
record is displayed for a few seconds.	REC	
Then the previous (if programmed) or the default value		
of the field is displayed	75.101	0

102 TOTAL - enters the new value and goes to the next				
field (PLU name)				
department 2				
department link	2.2.75			
0				
Press TOTAL to select the field 2 for programming.	01.000	0		
01 shows the number of the letter in the text, the other				
3 digits show the ASCII code of this letter				
Enter the following codes without any separators				
067 079 067 065 045 067 079 076 065				
The letter number increases with each code entering	10.000	0		
Press QTY and the programmed name COCA-COLA is printe	d.			
Press TOTAL to save the name and to move to the next field.	2.3.75	0		
Press TOTAL to select the field for programming.				
The previous price (if programmed) or the default value 0.00				
is displayed	75.0.00	0.00		
10 TOTAL enters the new price 10.00 and goes to the				
next field (options)	2.4.75	0		
Press TOTAL to select the field for programming.				
The previous options (if programmed) or the default 1010				
are displayed.	75.1010	8		
3000 TOTAL enters the new options and goes to the next field				
this is not a single transaction	2.5.75	8		
integer quantities				
a PLU (free prices are disabled)				
commodity group 3				
Press PRC to print the current item.				
Press to go up to parameter 2.				
Press to exit the programming mode.				

Parameter 3: General options of the PLU database

This parameter includes only one item with one field.

Note: When any of these options is changed, the whole PLU database is erased. A confirmation or denial of the operation is required.

Field No	Description
1	XXX – General options - 3 digits (010 by default - barcodes supported) Reserved; using barcodes; using available quantities (quantity in stock); 0 - the option is not applied; 1 - the option is applied to the PLU database.

Parameter 4: Departments

This parameter includes 8 items – one item for each department.

Field No	Description	Contents	Notes
1	Tax group link	1 to 8 - a link to a tax group: 1 - A, 2 - B, 3 - C, 4 - D, 5 - A and consumption tax, 6 - B and consumption tax, 7 - C and consumption tax, 8 - D and consumption tax	
2	Options: - commodity group; - free prices disabled; - integer or fractional quantities; - last sale in a receipt.	XXXX - Options – 4 digits L 1-last sale in a receipt; O-integer quantities, 1-fractional quantities; 1-disabled free prices; a link to a commodity group from 1 to 8 1010 by default	After a "last sale" department is registered, the current receipt is automatically closed through a cash payment
3	Name	Up to 28 characters	Default names ODJEL 01 ODJEL 08
4	Price	Up to 9999999999999	

	A link to a	From 1 to 10	The measure unit name is	
5	unit of	1 by default (this unit of measure	in the corresponding item	
	measure	is blank and it is not printed)	of parameter 9	
6	Max. sale	Up to 9999999999999999	0.00 by default - no limit	
	amount		0.00 by default - no mint	
1	Max. receipt	Up to 99999999999999	0.00 hv. dafault na limit	
	amount	Op to 99999999999999	0.00 by default - no limit	

Note: The Max. sale amount is a limit, which should not be exceeded by the product of multiplying the quantity and the price of a sale, attached to this department **Note**: The Max. receipt amount is a limit, which should not be exceeded by the amount of a receipt, when a sale is registered in the corresponding department.

Parameter 5: Advertisement text

This parameter includes 10 items. Items from 1 to 8 correspond to the header message. Items 9 and 10 correspond to the footer message.

Field No	Description	Contents	Notes
1	Text	32 characters	Each text line is
1		32 characters	centred when printed
2	Quick erasing the text in the item	D	If the first line is
		Pressing the key TOTAL clears the text line	empty, both lines are
			not printed.

Note: The first line of the header includes 16 characters, which are printed double wide.

Parameter 8: Payment names

This parameter includes 2 items corresponding to the programmable payment names

Note: Cash payment is not programmable. It is always available.

	Item No	Description	Contents	Notes
	1	Name of the first	Up to 28	KARTICA by default. This type of payment
1	payment	characters	corresponds to PY1 in Registration mode.	
	,	Name of the	Up to 28	ČEK by default. This type of payment
2	second payment	characters	corresponds to PY2 in Registration mode.	

3	Name of the 3-rd	Up to 28	TRANS.RAČUN by default. This type of
	payment	characters	payment corresponds to SHIFT PY1
1 4	Name of the 4-th payment	Up to 28	DOPUNSKA VALUTA by default. This type of payment corresponds to SHIFT PY2 in Registration mode.

Parameter 9: Names of units of measure

This parameter includes 10 items – one item for each unit of measure.

Item No	Description	Contents	Notes
1	Name of 1 st unit	Up to 4 characters	The default name is empty
2	Name of 2 nd unit	Up to 4 characters	The default name is kg
3	Name of 3 rd unit	Up to 4 characters	The default name is g
4	Name of 4 th unit	Up to 4 characters	The default name is m
5	Name of 5 th unit	Up to 4 characters	The default name is m2
6	Name of 6 th unit	Up to 4 characters	The default name is m3
7	Name of 7 th unit	Up to 4 characters	The default name is I
8	Name of 8 th unit	Up to 4 characters	The default name is t
9	Name of 9 th unit	Up to 4 characters	The default name is kWh
10	Name of 10 th unit	Up to 4 characters	The default name is kom.

Parameter 10: System options

Field	Description	Contents
No		
1	Coperators report is reset by the daily Z report Disabled training mode after ECR activation Printing of empty registers in the reports Reserved	0 - the option is not applied 1 - the option is applied See the note below the table.
2	Percentage mark-up	Up to 99.99
3	Percentage discount	Up to 99.99
4	Number of the ECR in the shop	2 digits

7	XXXXX - Options - 5 digits Reserved Contrast (0 to 9) Printing quality and speed Printing of a graphic logo (0 - no , 1 - yes) Printing of tax details at the end of the receipt (1 - no , 0 - yes)	Printing quality and speed: 0 – high-quality printing, greater consumption; 1 – fast printing, lower power consumption.
8	Connection settings: types of the peripheral devices and communication speeds. Item 1 – First RS232 settings Device type: 01 – no external device; 02 – PC; 03 – electronic scales "BIMKO"; 04 – electronic scales "MERCURY" (by default) 05 – electronic scales "ELIT"; 06 – electronic scales "MARTE V4" Item 2 – USB settings Device type: 01- no device; 09-a PC Item 3 – Second RS232 settings Device type: 01- no device; 16-a barcode scanner	
	Reserved	

Note: After the ECR activation, there is still a possibility for **training mode** usage. The corresponding option is the second digit (from the right to the left) in **field 1** of parameter 10. All Z reports (daily, periodic, operators, groups and PLU) must be issued before changing the option value. The default option value is 1 - the training mode is disabled after the ECR activation. If the value is changed to 0, the ECR operates in training mode.

Parameter 11: Passwords


This parameter includes 1 item with 4 fields – each field contains a password for a different mode.

Field No	Description	Contents
1	Password for X reports (mode ☐)	6 digits - 0 by default
2	Password for Z reports (mode $\frac{1}{2}$)	6 digits - 0 by default
3	Password for Programming mode(mode ⁴)	6 digits - 0 by default
4	Password for Service mode (mode 5)	6 digits - 0 by default

Parameter 12: Weight barcode options

This parameter includes 1 item with 3 fields.

Field No	Description	Contents	Notes
I I	Options of the left barcode zone		The left digit is 0(weight) or 1(PLU number). The right digit shows the zone length
· ,	Options of the right barcode zone	12 digite	The left digit is 0(weight) or 1(PLU number). The right digit shows the zone length.
3	Weight barcode identifier	2 digits	These are the first 2 digits of the barcode



Parameter 14: Reserved

Parameter 15: Currencies

This parameter includes 2 items - one item for the basic currency and one item for the additional currency.

Field No	Description	Contents
1	Decimal point position	0 or 2; the default is 2 – two digits after the decimal point
2	Currency name	kn – in the first item euro – in the second item
3	Applying the exchange rate with payment 4	 1 – the exchange rate is applied (by default) 0 – the exchange rate is not applied. The option is common for both items.

Parameter 16: Commodity groups

This parameter includes 8 items - one item for each commodity group.

Field No	Description	Contents
1	Commodity group option	0 – disabled, 1 – enabled
2	Commodity group name	Up to 28 characters GRUPA ARTIKLA 1 GRUPA ARTIKLA 8 by default

Note: All commodity groups are disabled by default

5.3.2. Changing the tax rates

The operation is started by pressing the keys SHIFT +. The first VAT group is displayed: 1.X.XX. The keys + and - are used for cyclic going through the tax rates.

When a tax rate number is reached and displayed, a new value is entered through the digit keys. Pressing of STL confirms the change. The numbers from 1 to 4 correspond to tax rates from A to D respectively. Tax group 5 corresponds to the consumption tax (PNP).

When a tax rate number is reached and displayed, it can be disabled through pressing the key PRC. Three dashes are displayed when a tax group is disabled. After entering all the new rates, TOTAL has to be pressed for finishing the operation.

5.3.3. Changing the exchange rate

The default exchange rate **kn/euro** is 7.53943.

The operation for changing the rate is started by pressing the keys \square PLU. \square is displayed.

The new exchange rate **kn/euro** is entered and STL is pressed to confirm it. The newly entered exchange rate and the calculated rate **euro/kn** are both printed.

Note: The names **kn** and **euro** are programmable in parameter 15.

Note: Applying the exchange rate can be disabled through field 3 of parameter 15.

5.3.4. Changing the date and the time

The operation is started by pressing the keys SHIFT TOTAL. The current date is displayed. The key — is pressed for changing the date. The message — is displayed. The date is entered DDMMYY and STL is pressed. The key + is pressed for changing the time. The message — is displayed. The time is entered HHMM and STL is pressed. If the ECR prints a message about additional confirmation, the key STL has to be pressed. TOTAL is pressed to end the operation.


6. REGISTRATION MODE

This mode is provided for sales registration, as well as for registration of received on account and paid out sums. Pressing the keys SHIFT, when no client's receipt is opened, exits the mode.

Note: An operator OIB is obligatory to be entered in advance in Programming mode (parameter 1, field 3) in order that the operator can issue sales receipts.

The functional keys are used for the following operations in Registration mode:

QTY	- quantity entering;
PLU	- entering a PLU number; repeating a PLU registration;
PRC	- entering PLU free prices;
D1	- sales registration in department 1;
D2	- sales registration in department 2;
D3	- sales registration in department 3;
D4	- sales registration in department 4;
SHIFT D1	- sales registration in department 5;
SHIFT D2	- sales registration in department 6;
SHIFT D3	- sales registration in department 7;
SHIFT D4	- sales registration in department 8;
+	- percentage mark-up; received on account sums;
_	- percentage discount; paid out sums; refund;
SHIFT +	- value mark-up;
SHIFT _	- value discount;
MODE	- correction of a wrong registration in a receipt; when the current
	date is displayed through PY1, the current time is displayed
	through (;
С	- clears the display; if digits are entered, C clears the rightmost
	digit on the display. If the key C is pressed and hold down,
	all the entered digits are cleared.
SHIFT 00	- void all in a receipt; sending of unsigned receipts to the Tax
	administration CIS
STL	- subtotal of the client's receipt;
TOTAL	- cash payment;



6.1. Date and time display

When no receipt is opened, the current date and time can be displayed by pressing the key PY1. The current date is displayed DD_MM_YY. Pressing the key after that, displays the current time HH–MM–SS. Pressing the key quits the operation.

6.2. Registration


6.2.1. Registration of a PLU and a PLU group

Registration of a PLU/or PLU group/ programmed price is done through entering its number and pressing the key PLU.

If a PLU has a programmed barcode (up to 13 digits), its registration can be done through entering the barcode number and pressing the key PLU. Entering the barcode can be done using a barcode scanner and in this case PLU is not pressed at the end

Registration of a free price in a PLU group is done through consecutive entering the price, pressing the key PRC, entering the PLU group number and pressing the key PLU.


Programmed name,



6.2.2. Registration in departments


If a department has a programmed price, registration of that price is done through direct pressing the corresponding key from D1 to D4 for departments from 1 to 4 respectively or the key combination from SHIFT D1 to SHIFT D4 for departments from 5 to 8 respectively.

A free price registration in a department is done through entering the price (using the digit keys) and selecting a department in the above-described way.



6.2.3. Registration of quantity

The quantity is entered first, the key QTY is pressed and then the registration proceeds in some of the above-described ways of registration. When entering quantities, the programmed options for fractional or integer quantities have to be considered. The product of multiplying the quantity and the price is displayed.



6.2.4. Repeated registration of a PLU/PLU group

Pressing the key PLU right after a PLU registration/ PLU group registration in an open receipt (before payment is started), repeats the previous registration and the quantity is the same as in the previous registration.

6.2.5. Repeated registration of a department sale

Pressing a department key right after a department registration through the same department key, in an open receipt (before payment is started), repeats the previous registration and the quantity is the same as in the previous registration.

6.3. Displaying and printing the subtotal

Displaying and printing the subtotal amount of a client receipt is done through the key STL before a payment operation is registered in the current receipt. Pressing the key combination SHIFT STL prints the subtotal amount, recalculated in the

additional currency (euro for instance), using the programmed exchange rate(see item 5.3.3).


6.4. Discounts and mark-ups

Discounts and mark-ups can refer to a single registration or to a subtotal amount. The latter case requires pressing the key STL in advance. A mark-up/discount/, referring to a single registration is added to/subtracted from/ the tax group registers, corresponding to the registration itself. If a subtotal includes sums of different taxes, a mark-up/discount referring to this subtotal is distributed proportionally in the tax groups registers.

6.4.1. Percentage discounts and mark-ups


A percentage mark-up/discount can be registered immediately after a registration or a subtotal, through entering the percentage value (up to 99.99) and pressing the keys + and - respectively. If there is a programmed percentage mark-up/discount (parameter 10, fields 2 and 3 respectively), it can be used by direct pressing the key + and - respectively.

The value of the discount/mark-up is calculated, printed and displayed.



6.4.2. Value discounts and mark-ups

A value discount/mark-up can be registered immediately after a registration or a subtotal, through entering the value and pressing the key combination SHIFT — or SHIFT + respectively. The discount/mark-up is printed and displayed. A value discount is not permitted to exceed the value of the corresponding registration or subtotal.



6.5. Correction of a wrong registration


Correction of a wrong registration is possible within the range of an open client receipt, on condition that no payment has been started.

The correcting operation is started by pressing the key the latest registration (a sale, mark-up or discount). Pressing the keys + and provides the possibility for consecutive going through and displaying all the registrations in the receipt. The operation can be still rejected through pressing the key C.

Pressing the key when the correction has been started, completes and prints the correction of the registration, displayed at that moment. If a registration, followed by a mark-up or discount is corrected, the mark-up or discount is also automatically corrected.

Printing the correction ends the operation. If any other correction is necessary, the operation has to be started again.


Note: If the display capacity is not enough for displaying both the quantity and the price, when sales are browsed through the keys + and -, only the price is displayed.



```
Jabuke 1.250 kg x 9.00 = 11.25 A
ODJEL 03 3 x 12.00 = 36.00 A
! ISPRAUKA !
Jabuke
-1.250 kg x 9.00 = -11.25 A
```

6.6. Void all

Pressing the key combination SHIFT 00 in an open receipt cancels all the registrations in the receipt, the receipt is closed and the amount is 0.00.



6.7. Payment and receipt closure

Pressing the key TOTAL in an open client receipt closes it through a cash payment. Besides the cash payment, the ECR provides four other types of payment with programmable names (parameter 8), as well as a combined way of payment in a receipt. The first kind of payment corresponds to the key PY1, the second payment corresponds to PY2, the third payment corresponds to SHIFT PY1 and the fourth payment corresponds to SHIFT PY2.

An amount entering is admissible before pressing a payment key or key combination. If the entered amount is greater or equal to the unpaid amount of the client receipt, the receipt is closed; the entered amount and the calculated change are printed.

If the entered amount is less than the unpaid amount of the client receipt, the entered amount is printed and further payment operations are expected.

An exemplary receipt:





An example of different payment types in a receipt:



An example of payment in additional currency:




6.8. Data interchange with the Tax administration CIS

At the end of each sales receipt, when payment operations are finished, the ECR sends through its communication module the required data to the Tax administration CIS. Moving dashes appear on the ECR display during the process of communication. If the data interchange is successful, the received Receipt ID (JIR) is printed in the receipt. If it is not successful, the receipt is printed without a JIR – it is an unsigned receipt. As soon as an unsigned receipt is issued, the ECR starts to beep at 5 second intervals and the antenna icon on the display is visualized. The procedure of sending all the unsigned receipt can be started in the Registration mode, when no receipt is open at the moment. Sending is started through pressing the keys SHIFT 00. If the data interchange is successful, each of the successfully signed receipts is printed, including the JIR. If 48 hours elapse since issuing the first unsigned receipt, the ECR displays the error message Err 43 and no new receipts can be issued until the unsigned ones are successfully signed.

6.9. Refund

A refund operation is permitted in a separate client receipt, on condition that there is enough cash for refund. A refund operation is started through the key — . A minus sign is displayed. Then a refund can be registered in the same way as an ordinary registration. After the first registration in a refund receipt, the header message is printed. Once a refund receipt is opened, other refund amounts can be registered in it. The receipt is closed through cash payment, using the key TOTAL.

An example of a refund receipt:



6.10. Printing a receipt copy

Only one receipt copy can be printed. This function is performed through pressing the keys SHIFT QTY directly after the original receipt. The copy receipts include the message COPY (KOPIJA), printed using double wide characters.

Printing of receipt copies concerns both sale receipts and refund receipts.

An example of a sale receipt and its copy:



DIGITRON d.o.o. DIGITRONSKA 33, 52460 BUJE *0IB: 84493255348
*010: 0113050010
KOPIJA 0001 OPERATER 27308299306 1
ODJEL 04 1 × 20.00 = 20.00 B ODJEL 03 1 × 30.00 = 30.00 A UKUPNO ko 50.00
REKAPITULACIJA POREZA: A=25.00% OSNOVICA 24.00 PDU 6.00 B=10.00%
OSNOVICA 18.18 PDU 1.82
GOTOVINA 50.00
BROJ RACUNA: POSL101/002600213 03-12-12 17:06
Tu.Br: I9000101

6.11. Received on account and paid-out amounts

Received on account and paid-out amounts can be registered when no client receipt is opened at the moment. The amount is entered and the key + or - respectively is pressed.

DIGITRON d.o.o.
DIGITRONSKA 33. 52460 BUJE
*DIB: 84493255348
0001 OPERATER 27308299306 1

ISPLATA
BROJ RACUNA: POSL201/002600245
03-12-12 17:18
Tu.Br: I9000102

7. REPORTS

The ECR supports two report modes: 2 and 3. Report mode 2 is for X reports, while Report mode 3 is for Z reports generally. Some of the reports are only X reports regardless of the mode.

- Report of PLU and PLU groups; PLU SHIFT | PLU - Report of PLUs in stock (available quantities): - Commodity groups report: - 1 QTY - Tax report: PY₁ - Sales report; PY2 - Departments report: - Operators report; PRC D1 D4 - Report of the corresponding department from 1 or 4; SHIFT SHIFT D4 - Report of the corresponding department from 5 to 8; D1 TOTAL - Daily report SHIFT TOTAL - Periodic report SHIFT - Exit out of the mode

Note: Some of the reports require additional confirmation of the Z report type. A prompting message **C 00** is displayed. The key **C** corresponds to the X report type, while the key **OO** corresponds to Z report type.

7.1. Reports of PLU and PLU groups

7.1.1. Report of one PLU/ PLU group

The PLU or PLU group number is entered and the key PLU is pressed.

7.1.2. Report of all PLU and PLU groups

PLU

This report is selected through pressing the key [PLU].

DIGITRON d.o.o. DIGITRONSKA 33, 52460 BUJE *OIB: 84493255348 IZUJESTAJ PO ARTIKLIMA #00016 Bijeli kruh OD.IFI KRUH KOLIČINA CIJENA IZNOS 31.000 6.10 #00017 Raženi kruh ODJEL KRUH 29.000 6.00 174.00 KOLICINA CIJENA IZNOS #00029 Prirodni sok ODJEL BEZALKOHOLNA PICA IZNOS 8.00 264.00 #00035 Fanta Orange ODJEL BEZALKOHOLNA PIĆA KOLICINA 16.000 CIJENA 11.00 176.00 IZNOS #00052 Jabuke ODJEL UDCE KOLĪČINA 21.900 CIJENA 9.00 IZNOS 197.10 #00135 Cokolada ODJEL KOLIČINA CIJENA ODJEL ODJEL 08 19.000 12.00 228.00 IZNOS UKUPNO IZNOS 1228.20 BROJ RACUNA: POSL101/002600234 03-12-12 17:58 Tu.Br: 19000101

Total amount of all PLU sales

7.2. Reports of PLUs in stock

7.2.1. Report of one PLU in stock

The PLU number is entered and the keys SHIFT PLU are pressed. The registers of this report are not reset, regardless of the report mode X or Z.

7.2.2. Report of all PLUs in stock

This report is selected through the keys SHIFT PLU. The registers of this report are not reset, regardless of the report mode X or Z.



DIGITRON d.o.o. DIGITRONSKA 33, 52460 BUJE *DIB: 84493255348 KOLICINE ZALIHA
#00016 Bijeli kruh KOLIČINA ZALIHE 38.000
#00017 Raženi kruh KOLIČINA ZALIHE 29.000
#00029 Prirodni sok KOLIČINA ZALIHE 95.000
#00035 Fanta Oranse KOLICINA ZALIHE 72.000
#00052 Jabuke KOLICINA ZALIHE 57.000
#00135 Cokolada KOLICINA ZALIHE 122.000
BROJ RAČUNA: POSL101/002600231 03-12-12 17:50
Tu.Br: 19000101

7.3. Department reports

7.3.1. Report of one department

The keys from D1 to D4 select the report of the corresponding department from 1 to 4 respectively and the key combinations from SHIFT D1 to SHIFT D4 - the report of departments from 5 to 8 respectively. The registers of this report are not reset, regardless of the report mode 2 or 3.

7.3.2. Report of all departments

This report is selected through pressing the key $\boxed{\text{PY2}}$. The department report is an X report (regardless of the mode X or Z); it is a part of the daily report and its registers are reset only by the daily Z report.



IZUJESTAJ PO ODJELIM	1A
#01 KRUH KOLICINA IZNOS POURAT NOUCA	39.000 237.90
KOLICINA IZNOS #02 BEZALKOHOLNA PIĆA	0.000
KOLIČINA IZNOS	30.000 359.30
POURAT NOUCA KOLICINA IZNOS IZNOS	0.000
#03 ODJEL 03 KOLICINA IZNOS ROUDOT NOUSO	23.000 467.57
POURAT NOUCA KOLICINA IZNOS	-1.000 -83.00
#04 ODJEL 04 KOLIČINA IZNOS	23.000 200.10
POURAT NOUCA KOLICINA IZNOS 12NOS	0.000 00.0
#05 UOCE KOLIČINA IZNOST NOUSO	21.900 197.10
POURAT NOUCA KOLICINA IZNOS IZNOS	0.000
#08 ODJEL 08 KOLIČINA IZNOS	17.000 204.00
POURAT NOUCA KOLICINA IZNOS	0.000
POURAT TOTAL	1665.97 83.00
BROJ RACUNA: POSL101/00 04-12-12	4200349 20:44
Tu.Br: I	


7.4. Commodity groups reports

7.4.1. Report of one commodity group

The commodity group number is entered and the key — is pressed.

7.4.2. Report of all commodity groups

This report is selected through pressing the key ____.



Note: Commodity groups are disabled by default. For supporting commodity groups reports, the necessary commodity groups have to be enabled one by one (parameter 16) in advance and PLU and departments have to be linked to the groups.

7.5. Tax groups report


It is selected through pressing the key $\overline{\text{QTY}}$. It includes the daily turnover and its distribution in tax groups, the calculated VAT, the calculated consumption tax and the net turnover amounts corresponding to each VAT group. The Tax group report is an X report (regardless of the mode X or Z); the Tax report is a part of the daily report and its registers are reset only by the daily Z report.



	PROMET	PDU-a
PDU*A UKUPAN IZNOS		25.00 % 1144.97
PDU		228.99
OSNOUICA PDU∗B		915.98 10.00 %
UKUPAN IZNOS		200.10
PDU OSNOUICA		18.19
PDU*C		181.91 0.00 %
UKUPAN IZNOS		237.90
PDU OSNOVICA		0.00 237.90
PNP=3.00%		0.00
UKUPAN IZNOS		1582.97
IZNOS POU		247.18
IZNOS PNP OSNOVICA		0.00 1335.79
BROJ RAČUNA: 04-12-12	POSL:	101/004300358 21:06
Tu.Br:		19000101

7.6. Sales report

This report is selected through pressing the key $\boxed{\text{PY1}}$. The sales report is an X report (regardless of the mode X or Z); it is a part of the daily report and its registers are reset only by the daily Z report.



7.7. Operators report

7.7.1. Report of one operator

The operator number is entered and the key PRC is pressed. A prompting message **C 00** is displayed at the end of the report in Z mode. The key C corresponds to an X report, while the key 00 corresponds to the operator Z report.

7.7.2. Report of all operators

This report is selected through pressing the key PRC. A prompting message

C 00 is displayed in Z mode. The key C corresponds to an X report, while the key 00 corresponds to the operators Z report.

-			
	DIGITRON d.o.	.0.	
	DIGITRONSKA 33, 52460	BUJE	
	*OIB: 84493255348 IZUJESTAJ PO OPERATER	IMA	
	IZUJEŠTAJ PO OPERATER POCETAK IZUJESTAJA 0 #01 OPERATER 27308299306	4-12-12	
	#U1 UPERATER 27308299306		— Number, name and ID (OIB) of operator 1
	PONISTENI RAČUNI IZNOS	-1 -78.00	
	STORNO	-10.00 -1	
	IZNOS	-83.00	
	PROMJENE	400.00	
	12NUS MARZE%	132.00	
	TZNOS	11.07	
	POPUSTX	2	
	IZNOS	2.70	
	TZNOS	2.00	
	PÔPUST	1	
	IZNOS	1.30	
	GUTUUINA	835.97	
	KARTICA	2	
	IZNOS	150.00 985.97	
	UKUPNO PLACANJA POLOG	985.97	
	IZNOS	60.00	
	ISPLATA	1	
	12NOS #02 OPERATER 45495790992	150.00	— Number, name and ID (OIB) of operator 2
	PROMJENE	2	— Number, name and 1D (OID) of operator 2
	IZNOS	24.00	
	POPUST	1	
	GOTOVINA	1.50	
	IZNOS	13 550.00	
	KARTICA	1	
	IZNOS UKUPNO PLACANJA	130.00 680.00	
	BROJ RAČUNA: POSL101/00 04-12-12	4200355	
	V4-12-12	20:59	
	Tu.Br: I	9000101	
- [

7.8. Daily report

It is selected through pressing the key $\boxed{\text{TOTAL}}$. The prompt \mathbf{C} **00** is displayed in mode 3. The key $\boxed{\text{C}}$ corresponds to an X report, while the key $\boxed{\text{00}}$ corresponds to the daily Z report.

DIGITRON d.o DIGITRONSKA 33, 52460 *OIB: 84493255348 DNEUNI IZUJESTAJ		
#01 KRUH KOLICINA IZNOS	39.000 237.90	
POURAT NOUCA KOLICINA IZNOS 12800 POZOLKOURINO RICO	000.0 00.0	
#02 BEZALKOHOLNA PICA KOLIČINA IZNOS	30.000 359.30	
POURAT NOUCA KOLICINA IZNOS	000.0 00.0	
#03 ODJEL 03 KOLIČINA IZNOS	23.000 467.57	
POURAT NOUCA KOLICINA IZNOS	1.000 -83.00	
#04 ODJEL 04 KOLICINA IZNOS	23.000 200.10	
POURAT NOUCA KOLICINA IZNOS	0.000.0	
#05 VOCE KOLICINA IZNOS	21.900 197.10	
POURAT NOUCA KOLICINA IZNOS	000.0 00.0	
#00 ODJEL 00 KOLICINA IZNOS BOUROT NOUCO	17.000 204.00	
POURAT NOUCA KOLICINA IZNOS	0.000	

Department report

Operators report as a part of the daily report

There is an option in parameter 10 - field 1, which specifies if the daily report includes or does not include the operator report

PONISTENI RACUNI IZNOS STORNO IZNOS PROMJENE IZNOS MARZEZ IZNOS POPUSTX IZNOS MARZE IZNOS POPUST IZNOS GOTOUINA IZNOS KARTICA IZNOS UKUPNO PLACANJA POLOG IZNOS ISPLATA IZNOS STANJE DNEUNI PROMET PD POU*A UKUPAN IZNOS POU OSNOUICA PDU*B UKUPAN IZNOS POU OSNOUICA PDU*C UKUPAN IZNOS POU OSNOUICA PDU*C UKUPAN IZNOS POU OSNOUICA PDU*C UKUPAN IZNOS POU OSNOUICA PNP=3.00%	25.00 % 1144.97 228.99 915.98 10.00 % 200.10 18.19 181.91 0.00 % 237.90 0.00 1582.97 247.18 0.00 1335.79 /004300358	Tax report
BROJ RAČUNA: POSL101 04-12-12 Tu.Br:	/004300358 21:06 19000101	

7.9. Periodic report

This report is selected through pressing the keys SHIFT TOTAL. The prompt

C 00 is displayed in mode 3. The key C corresponds to an X report, while the key 00 corresponds to the periodic Z report.

The periodic report includes data, which is accumulated since the previous issuing of the periodic Z report.

DIGITRON d.c DIGITRONSKA 33. 5246 *018: 8449325534	Ø BUJE
PERIODIONI IZUJES POČETAK IZUJESTAJA	TAT
#01 KRUH KOLICINA IZNOS	77.000 465.90
POURAT NOUCA KOLICINA IZNOS #02 BEZALKOHOLNA PIĆA	0.000.0
KOLICINA IZNOS POURAT NOUCA	58.000 639.30
KOLICINA IZNOS #03 ODJEL 03	000.0 00.0
KOLICINA IZNOS POURAT NOUCA	46.000 728.00
KOLICINA IZNOS #04 ODJEL 04	-2.000 -138.00
KOLICINA IZNOS POURAT NOUCA	45.000 596.10
KOLIČINA IZNOS #05 VOĆE	000.0 00.0
KOLIČINA IZNOS POURAT NOUCA	42.900 386.10
KOLICINA IZNOS #00 ODJEL 00	0.000
KOLICINA IZNOS POURAT NOUCA	27.000 324.00
KOLICINA IZNOS	0.000

Department report corresponding to the period

PONISTENI RACUNI	
BROJ RACUNA: POSL101/00430042 05-12-12 21:1 Tu.Br: I900010	0 5

Sales report corresponding to the period

7.10. Electronic journal review

All the printed documents, stored in the Electronic journal of the ECR, can be accessed for reading through a PC.

The operation is started in mode 3 by pressing the keys SHIFT QTY.

USSB FD is displayed. After that the ECR is connected to the PC, using the USB cable. In this way the electronic journal contents can be examined, as data is stored in folders and files by dates.

8. ELECTRONIC JOURNAL PRINTOUTS

Printing of documents stored in the ECR Electronic journal is provided in the Service mode (mode 5).

8.1. EJ printout by a daily Z report number

41 STL a number of daily Z report QTY

After the key STL is pressed in the above sequence, N_BGN is displayed. After the key STL is pressed in the above sequence, ERRD 55EH is displayed first, while the required data is searched for. RERD is displayed while the documents are read out and printed

8.2. EJ printouts by a receipt number

5 STL a receipt number QTY

After the key STL is pressed in the above sequence, REP_N is displayed. After the key TY is pressed in the above sequence, ERRD 55EH is displayed while the receipt is searched for.

8.3. EJ printouts by dates

6 STL a number of daily Z report QTY an initial date QTY a final date

After the key \triangle TL is pressed in the above sequence, N_BBN is displayed. DBBN is displayed to show that an initial date has to be entered. DBND is displayed to show that a final date has to be entered.

An example of a receipt and the corresponding printout from the EJ:



005800486 is the receipt number 0058 is the forthcoming daily Z report 5 STL 005800486 QTY

DIGITRON d.o.o. DIGITRONSKA 33, 52460 BUJE *0IB: 84493255348 ISPIS EKT
MEMO_EKT_Br 0058
D I G I T R O N d . o . o . DIGITRONSKA 33, 52460 BUJE *OIB: 8449325534B 0002 OPERATER 45495790992 2
ODJEL 03 1 × 150.00 = 150.00 A U K U P N O k n 1 5 0 .00 GOTOVINA 150.00
POSL101/005800486 01 ARTIKAL 16:12
ZASTITNI KOD: bbdFcc4c4d9F18254403e6dabeee14a1 JIR: -eFa7-45d5-9e8e-4e4eac56Fb20
To.Br: 19000101
KRAJ ISPISA EKT BROJ RAČUNA: POSL101/005800492 05-12-12 16:13
Tv.Br: 19000101

9. MESSAGES, DISPLAYED IN CASES OF ERRORS AND OVERFLOWS

When an error message is displayed, its number must be searched for in the list below. The key C has to be pressed to clear the message.

Err	1	Multiplication overflow.
Err	2	Daily report overflow. Daily Z report must be issued.
Err	3	Illegal operation
Err	4	The discount exceeds the registration/subtotal
Err	5	The amount is 0
Err	6	Receipt overflow
Err	7	Quantity overflow
Err	8	The entered value exceeds the maximum price value
Err	9	The value is 0
Err	10	Free prices are disabled for this PLU or department
Err	11	This quantity must be integer
Err	12	The maximal number of receipt transactions is reached.
		The receipt must be closed.
Err	13	This percentage value is out of the range $0.00 - 99.99$
Err	14	The operation is disabled; the result would be negative
Err	15	PLU access error
Err	16	The quantity in stock is not enough for this sale
Err	18	There is no registration that can be corrected
Err	19	Periodic report overflow
Err	21	The ready cash is less than the entered PO sum
Err	22	Operators report overflow. Operators Z report must be issued.
Err	26	PLU report overflow. PLU Z report must be issued
Err	28	No duplicate can be printed
Err	32	This barcode is already programmed for another PLU
Err	33	PLU Z report is needed
Err	34	Commodity group report overflow.
Err	36	Not enough cash for refund operation
Err	37	Deactivated tax group
Err	43	48 hours have elapsed since issuing an unsigned receipt. The
		unsigned receipts must be sent to the Tax administration CIS
Err	73	Lithium battery fault
Err	75	The amount or the price exceeds the limit (in parameter 2 or 4)
Err	76	Real time clock error